LETEUKE
FURNITURE


USER MANUAL




NSF Kitchen Storage Cart 40*25* 39 INCH

Installation Steps


1 Screw each stem of Wheel **(A, B)** into the bottom of each Pole **(C)**, turn each wheel clock-wise until in desired location. Needs to be tightened with a wrench finally. Repeat for all Pole **(C).**




2 Snap the Clip Sleeves **(D)** to the lowest groove on Poles **(C)** with the arrow pointing up. Make sure that the heights are identical for each Pole **(C).**




3 Assemble the Wire Shelf **(E)** / Basket **(F)** over the top of the 4 poles and Clip Sleeves **(D).** Repeat steps 2-3 at the selected height of the Wire Shelf **(E)** / Basket **(F).**



4 Assemble 2 Clip Sleeves **(D)** on the Poles **(C)** at the narrow side of the cart. Slide the handle **(G)** onto the Clip Sleeves **(D).**
Leave space at the top of the Poles **(C)** for the final Wire Shelf **(E)** / Basket **(F)** .



5 Repeat steps 2-3 to assemble the final Wire Shelf **(E)** / Basket **(F).**
The position of the Wire Shelf **(E)** / Basket **(F)** can be adjusted at will.



IMPORTANT NOTICE

Dear customer:

If you receive a product with missing or damaged parts, or if you have any questions about the product, please contact Leteuke's customer service mailbox for feedback, and we will give you a satisfactory solution.

We are very sorry for the possible inconvenience and thank you for your understanding and support.






You can contact us in any of the following ways:
1）Leteuke official website email: **support@ileteuke.com**
2）Leteuke customer service mailbox:
shmr_cs@showmorr.com

Contact us on Amazon: From your Amazon order details page, select “Order” >> “Sold by” >> “Contact seller”.


Leteuke wishes you a happy life.

ASSEMBLY INSTRUCTIONS
KITCHEN STORAGE CART - 3-TIER

Parts Table

A Wheels QTY: 2 	B Wheels with Brake QTY: 2 	C Poles QTY: 4 
D Clip Sleeves QTY: 28 	E Wire Shelves QTY: 2 	F Basket QTY: 1 
G Handle QTY: 1 	H Leveling Feet QTY: 4 	I Hanging Hooks-3CM QTY:20 
J Shelf Liners QTY:3 	K Wrench QTY:1 	- Please inspect the box contents to ensure you have received all components. - For best results, assemble on flat ground. - Keep small parts such as clip pieces and screws out of the reach of children.

REQUIRE 2 PERSONS TO ASSEMBLY




Note: The black circular plastic tops in between the shelves are used only for packaging purposes. They are **NOT NEEDED**. Please discard.




Children are **NOT ALLOWED** to climb!

Important Notes


1 Secure the clip sleeves in place to the position shown.




2 The arrows on the clip sleeves should be pointed **UPWARD**.




3 Align the flange to the groove.



4 **Warm Tips:**
As shown in the figure, when fixed to the pole, the multiple gaps between the two clip sleeves are a normal phenomenon, NOT a quality problem. This is aim to fit the shelf firmly into the pole.



5 **Recommend:**
You can use a rubber mallet to hit hard along the edges of the shelf. Please make sure it is completely fixed onto the pole.



6 **Load Bearing Range:**

Static (With Leveling Feet) : 1120 LBS (Total); 500 LBS (Each Wire Shelf); 120 LBS (Basket)

Static (With Wheels) :1000 LBS (Total); 450 LBS (Each Wire Shelf); 100 LBS (Basket)

Dynamic (With Wheels) : 550 LBS (Total); 225 LBS (Each Wire Shelf); 100 LBS (Basket)

Warm Tips: * High temperature resistance range of Shelf Liner: 176-212°F

⚠ **Chrome Plated Kitchen Storage Cart**: **Recommended to use it in sunny weather, not in wet and rainy weather for a long time. Wipe clean after use. (For Outdoor Use)**